

Certificate Policy for 1* end-users certificates

ChamberSign France CA

-

ChamberSign France



Purpose of the document	This document is related to the hierarchy of certification authorities ChamberSign France "ChamberSign France CA". It is the certificate policy for end-users certificates (physical persons) attached to this hierarchy, for certificates corresponding to the French general security referential (GSR) 1* level.
Version	01
Date of release	15/11/2012
Diffusion	Public

Written by	Technical Manager ChamberSign
Verified by	Quality Manager ChamberSign
Approved by	General Manager ChamberSign

List of diffusion	
Functions	
Public	

Record of versions	
Version	Nature of the evolutions
01	Modification of the validity length of CRL (§4.9.7) and of the certificate acceptance way
00	Creation

TABLE OF CONTENT

1.	INTRODUCTION.....	7
1.1.	Overview	7
1.2.	Document name and identification	7
1.3.	PKI participants	8
1.4.	Certificate usage	9
1.4.1.	Appropriate certificate uses	9
1.4.2.	Prohibited certificate uses.....	9
1.5.	Policy administration	10
1.5.1.	Organization administering the document.....	10
1.5.2.	Contact person	10
1.5.3.	Person determining CPS suitability for the policy	10
1.5.4.	CPS approval procedures	10
1.6.	Definitions and acronyms	10
1.6.1.	Acronyms.....	10
1.6.2.	Definitions.....	11
2.	PUBLICATION AND REPOSITORY RESPONSIBILITIES	13
2.1.	Repositories	13
2.2.	Publication of certification information	14
2.3.	Time or frequency of publication	14
2.4.	Access controls on repositories.....	14
3.	IDENTIFICATION AND AUTHENTICATION	14
3.1.	Naming.....	14
3.1.1.	Types of names	14
3.1.2.	Need for names to be meaningful	14
3.1.3.	Anonymity or pseudonymity of subscribers	14
3.1.4.	Rules for interpreting various name forms	14
3.1.5.	Uniqueness of names	14
3.1.6.	Recognition, authentication, and role of trademarks	14
3.2.	Initial identity validation.....	15
3.2.1.	Method to prove possession of private key	15
3.2.2.	Authentication of organization identity.....	15
3.2.3.	Authentication of individual identity	15
3.2.4.	Non-verified subscriber information	15
3.2.5.	Validation of authority	15
3.2.6.	Criteria for interoperation	15
3.3.	Identification and authentication for re-key requests	15
3.4.	Identification and authentication for revocation request.....	15
4.	CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS.....	15
4.1.	Certificate Application.....	15
4.1.1.	Who can submit a certificate application.....	15
4.1.2.	Enrollment process and responsibilities	16
4.2.	Certificate application processing	16
4.3.	Certificate issuance	16
4.3.1.	CA actions during certificate issuance	16
4.3.2.	Notification to subscriber by the CA of issuance of certificate	16
4.4.	Certificate acceptance.....	16
4.4.1.	Conduct constituting certificate acceptance	16
4.4.2.	Publication of the certificate by the CA.....	16
4.4.3.	Notification of certificate issuance by the CA to other entities	16
4.5.	Key pair and certificate usage	16
4.5.1.	Subscriber private key and certificate usage.....	16
4.5.2.	Relying party public key and certificate usage	16
4.6.	Certificate renewal	17
4.7.	Certificate re-key.....	17
4.7.1.	Circumstance for certificate re-key.....	17

4.7.2.	Who may request certification of a new public key	17
4.7.3.	Processing certificate re-keying requests	17
4.7.4.	Notification of new certificate issuance to subscriber	17
4.7.5.	Conduct constituting acceptance of a re-keyed certificate	17
4.7.6.	Publication of the re-keyed certificate by the CA.....	17
4.7.7.	Notification of certificate issuance by the CA to other entities	17
4.8.	Certificate modification	17
4.9.	Certificate revocation and suspension	17
4.9.1.	Circumstances for revocation.....	18
4.9.2.	Who can request revocation	18
4.9.3.	Procedure for revocation request.....	18
4.9.4.	Revocation request grace period	18
4.9.5.	Time within which CA must process the revocation request.....	18
4.9.6.	Revocation checking requirement for relying parties.....	18
4.9.7.	CRL issuance frequency (if applicable).....	18
4.9.8.	Maximum latency for CRLs (if applicable).....	18
4.9.9.	On-line revocation/status checking availability	19
4.9.10.	On-line revocation checking requirements	19
4.9.11.	Other forms of revocation advertisements available	19
4.9.12.	Special requirements re key compromise	19
4.9.13.	Circumstances for suspension	19
4.9.14.	Who can request suspension.....	19
4.9.15.	Procedure for suspension request	19
4.9.16.	Limits on suspension period.....	19
4.10.	Certificate status services	19
4.10.1.	Operational characteristics	19
4.10.2.	Service availability	19
4.10.3.	Optional features	19
4.11.	End of subscription.....	19
4.12.	Key escrow and recovery	19
5.	FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS.....	20
5.1.	Physical controls	20
5.2.	Procedural controls	20
5.3.	Personnel controls	20
5.4.	Audit logging procedures.....	20
5.5.	Records archival	20
5.6.	Key changeover	20
5.7.	Compromise and disaster recovery	20
5.8.	CA or RA termination	21
6.	TECHNICAL SECURITY CONTROLS	21
6.1.	Key pair generation and installation.....	21
6.2.	Private Key Protection and Cryptographic Module Engineering Controls	21
6.3.	Other aspects of key pair management.....	21
6.4.	Activation data.....	21
6.5.	Computer security controls.....	21
6.6.	Life cycle technical controls.....	21
6.7.	Network security controls	22
6.8.	Time-stamping	22
7.	CERTIFICATE, CRL, AND OCSP PROFILES.....	22
8.	COMPLIANCE AUDIT AND OTHER ASSESSMENTS.....	22
8.1.	Frequency or circumstances of assessment	22
8.2.	Identity/qualifications of assessor.....	22
8.3.	Assessor's relationship to assessed entity	22
8.4.	Topics covered by assessment	22
8.5.	Actions taken as a result of deficiency	22
8.6.	Communication of results.....	22
9.	OTHER BUSINESS AND LEGAL MATTERS	23
9.1.	Fees.....	23

9.1.1.	Certificate issuance or renewal fees	23
9.1.2.	Certificate access fees.....	23
9.1.3.	Revocation or status information access fees	23
9.1.4.	Fees for other services	23
9.1.5.	Refund policy	23
9.2.	Financial responsibility	23
9.2.1.	Insurance coverage	23
9.2.2.	Other assets	23
9.2.3.	Insurance or warranty coverage for end-entities	23
9.3.	Confidentiality of business information	23
9.3.1.	Scope of confidential information	23
9.3.2.	Information not within the scope of confidential information	23
9.3.3.	Responsibility to protect confidential information	23
9.4.	Privacy of personal information	24
9.4.1.	Privacy plan	24
9.4.2.	Information treated as private	24
9.4.3.	Information not deemed private	24
9.4.4.	Responsibility to protect private information.....	24
9.4.5.	Notice and consent to use private information	24
9.4.6.	Disclosure pursuant to judicial or administrative process	24
9.4.7.	Other information disclosure circumstances	24
9.5.	Intellectual property rights	24
9.6.	Representations and warranties.....	24
9.6.1.	CA representations and warranties	24
9.6.2.	RA representations and warranties	24
9.6.3.	Subscriber representations and warranties	24
9.6.4.	Relying party representations and warranties	24
9.6.5.	Representations and warranties of other participants	24
9.7.	Disclaimers of warranties	24
9.8.	Limitations of liability	25
9.9.	Indemnities.....	25
9.10.	Term and termination	25
9.10.1.	Term	25
9.10.2.	Termination.....	25
9.10.3.	Effect of termination and survival	25
9.11.	Individual notices and communications with participants	25
9.12.	Amendments.....	25
9.12.1.	Procedure for amendment	25
9.12.2.	Notification mechanism and period	25
9.12.3.	Circumstances under which OID must be changed	25
9.13.	Dispute resolution provisions.....	25
9.14.	Governing law	25
9.15.	Compliance with applicable law.....	26
9.16.	Miscellaneous provisions.....	26
9.16.1.	Entire agreement	26
9.16.2.	Assignment.....	26
9.16.3.	Severability	26
9.16.4.	Enforcement (attorneys' fees and waiver of rights)	26
9.16.5.	Force Majeure.....	26
9.17.	Other provisions	26
10.	External legal documents	27
11.	External technical documents	27
12.	Internal documents ChamberSign France	27

Warning

This document is protected by the French Code of Intellectual Property of 1st July 1992, including those relating to literary and artistic property and copyrights, as well as all applicable international conventions. These rights are the exclusive property of ChamberSign France. The reproduction, representation (including the publication and distribution), in whole or in part, by any means (including electronic, mechanical, optical, photocopying, computer), not previously authorized in writing by ChamberSign France or assigns, is strictly prohibited.

The Intellectual Property Code authorizes, pursuant to Article L.122-5, first, that "copies or reproductions strictly reserved for private use and not intended for use commune" and, secondly, that the analysis and short quotations for the purposes of example and illustration," any representation or reproduction in whole or in part without the consent of the author or his successors or assigns is prohibited "(Article L.122-4 of the Code of Intellectual Property).

This representation or reproduction, by any means whatsoever, constitutes an infringement punishable by articles L. including 335-2 of the Intellectual Property Code.

This document, property of ChamberSign France, may be granted by licensing all private or public entities who wish to use as part of their certification services.

This English version is a translation of the French version for information only. The only applicable version of this document is the official French version.

1. INTRODUCTION

1.1. Overview

This document is related to the Public Key Infrastructure (PKI) ChamberSign France (CSF), PKI responsible for managing certificates in the hierarchy "AC ChamberSign France" (called "PKI" in the rest of this document).

It is the Certificate Policies (CP) of the PKI covering certificates for physical person, in conformity with the level * of the general security referential (cf. [RGS]¹).

Its structure is consistent with the document [RFC3647].

The objective of this document is to define the commitments of CSF through the PKI, in issuing and managing certificates for the type mentioned above, throughout their life cycle.

This policies are the foundation of the PKI relations with the outside users (certificate holders and relying parties), but also partners (other PKI which CSF wishes to recognize and from which it wishes to be recognized), public authorities and private assessment and qualification organizations.

However, given the complexity of the elements of both technical and legal content in a certificate policy, especially for non-specialist users, these policies are translated into specific documents for users that are the terms of use. These terms of use correspond to the PKI Disclosure Statement described in [RFC3647].

The commitments agreed in these CP are:

- the requirements imposed by regulations to CSF;
- the objectives set to itself by CSF, regarding the services, the security, the quality and the performance, in order to satisfy the users (certificate holders and relying parties) of its certificates, and be recognized, if necessary, by different patterns of PKI assessment / qualification.

These CP, like other CP from CSF, are public documents. The Certification Practice Statement (CPS) for these CP is a document freely available upon request from CSF. Other documents resulting from this CP and CPS are internal documents to CSF that can be accessed, if necessary, through a confidentiality agreement (external auditors, qualifying bodies, public authorities, etc..).

1.2. Document name and identification

The object identifier (OID) for these CP are:

CA Certificate : ChamberSign France 1 *	
Certificate policy	
Signature	1.2.250.1.96.1.7.3.1.1
Authentication	1.2.250.1.96.1.7.3.2.1
Authentication and Signature	1.2.250.1.96.1.7.3.3.1

¹ See Appendix 1 for the list of references.

{iso(1) member-body(2) france (250) type-org(1) chambersign (96) Arborescence AC ChamberSign France (1) AC Chambersign RGS LCR directe (7) Niveau 1* (3) Signature (1) Version PC (1)}

{iso(1) member-body(2) france (250) type-org(1) chambersign (96) Arborescence AC ChamberSign France (1) AC Chambersign RGS LCR directe (7) Niveau 1* (3) Authentification (2) Version PC (1)}

{iso(1) member-body(2) france (250) type-org(1) chambersign (96) Arborescence AC ChamberSign France (1) AC Chambersign RGS LCR directe (7) Niveau 1* (3) Authentification&Signature (3) Version PC (1)}

In the continuation of this document, the text is applicable to these different PC, except opposite mention, at the beginning section or paragraph, indicated between [].

1.3. PKI participants

It is distinguished between external stakeholders² to the PKI and internal stakeholders³, which are under the responsibility of CSF towards external stakeholders.

Internal stakeholders are described in the certification practice statement (CPS) associated with these CP. These stakeholders realize the implementation of the following functions:

- Registering function of the certificate holders -This function checks the credentials of the future holder of a certificate, and possibly other specific attributes before forwarding the corresponding certificate request to the certificate generation function. This function is also in charge, when necessary, of the re-verification of holder information upon renewal of its certificate.
- Certificate generation function - This function generates certificates (creation of the format, electronic signature with the private key of the CA) based on the information transmitted by the registering function, including the public key of the holder.
- Generation function of the secret elements of the holder – The PKI generates no secret elements for the holder (private key, activation code of the cryptographic token...), with the exception of the unlocking code, which is required when a cryptographic token has been blocked by the holder after several trials of the activation code, on condition that it's a cryptographic token provided and managed by CSF.
- Delivery to the holder function - This function delivers to the holder the cryptographic token on which is kept the secret keys (if necessary) and gives, and the relevant certificates.
- Publishing function – This function provides to the various concerned parties, the terms and conditions, policies and practices published by the PKI, the CA certificates and other relevant information for the holders and / or users of certificates, excluding information about Certificate Status. It also provides certificates of holders that are valid.
- Revocation Management function - This function handles revocation requests (including identification and authentication of the applicant) and determines actions to be taken. The results are disseminated via the certificate status information function.
- Certificate status information function - This function provides relying parties with information on certificate status (revoked, suspended, etc.). This function is implemented as a way of publishing information updates at regular intervals (CRL, ARL).

External stakeholders are:

² External stakeholders are entities that are not involved in the operation of the PKI but have to interact with the PKI.

³ Internal stakeholders in the PKI are the entities involved in the operation of the PKI and that can be either directly internal to CSF or external to CSF with a contractual relationship with CSF.

- **Certificates Holders** - A certificate holder is an individual identified in a certificate subject of these CP. This person uses his private key and corresponding certificate as part of its activities in relation to the entity identified in the certificate and with whom he has a contractual, hierarchical or regulatory relationship.
- **Legal Representative** - This is a legal representative of the entity identified in the certificate and to which the holder is attached.
- **Relying parties / Certificates Users** - A certificate user is an individual or a technical entity (computer application, network equipment, ...) which relies on a certificate subject of this CP to implement the corresponding security service (electronic signature check or authentication check).
- **Audit / Qualification / Referencing entities** - These entities are brought to audit all or part of the PKI, at the request of a CSF customer, CSF itself (to obtain a qualification or a label), or at the request of public authorities.
- **Public authorities** - This is administrative or governmental entities that can be brought, in accordance with applicable laws and regulations, to have access to all or part of systems and information of the PKI.

1.4. Certificate usage

1.4.1. Appropriate certificate uses

The certificates produced into cryptographic token evaluated EAL4+ according to these policies are appropriate in order to establish the link existing between an identity and a public key.

CP	Uses
[Signature]	Uses are electronic signature of data by the holder (signatory). A such electronic signature brings, in addition to the authenticity and the integrity of the data signed in this way, the manifestation of the consent from the signatory concerning the contents of these data.
[Authentication]	Uses are holder authentication to distant servers or to other people. It could be an authentication within the framework of an access control to a server or an application program, or an authentication of data origin within the framework of the messaging service.
[Signature and Authentication]	Uses are the whole of those identified above for the separated uses of authentication and signature.

Nota : Authentication isn't a signature in the legal sense of the word because it doesn't mean that the holder manifests his consent on the exchanged data (the guarantee of non-repudiation isn't assured).

Furthermore, CSF may be required to issue test certificates. These test certificates are identified as such in their DN. They are not covered by any warranty by CSF and they should never be used for purposes other than testing purposes.

1.4.2. Prohibited certificate uses

Any use of a certificate other than those provided under these CP and the terms of use (see [POL.COM.11], [POL.COM.12] and [POL.COM.13]) is prohibited. In case of non compliance with this prohibition, the responsibility of CSF can not be held.

1.5. Policy administration

1.5.1. Organization administering the document

CSF, as a provider of certification services, is responsible for the management of these CP. The evolutionary and amendments process to these CP is specified in chapter 9.12 below.

1.5.2. Contact person

Any questions or comments about these CP can be sent by email to the following address: qualite@chambersign.fr

1.5.3. Person determining CPS suitability for the policy

Determining that a CPS does or does not meet the requirements of these CP is made by the Directorate of CSF.

1.5.4. CPS approval procedures

The approval procedure that a CPS is compliant is identified in the concerned CPS.

1.6. Definitions and acronyms

1.6.1. Acronyms

Note – The French acronym is between ().

A

CA (AC)	Certification Authority
ANSSI	National Security Agency Information Systems

C

CC	Common Criteria
CCI	Chamber of Commerce and Industry
ToU (CGU)	Terms of Use
CODIR	Management Committee of ChamberSign
CSF	ChamberSign France

D

CPS (DPC)	Certification Practice Statement
-----------	----------------------------------

I

PKI (IGC)	Public Key Infrastructure
-----------	---------------------------

L

ARL (LAR)	Authority Revocation List
CRL (LCR)	Certificate Revocation List

O

OID	Object Identifier
-----	-------------------

P

CP (PC)	Certification Policy
PIN	Personnal Identification Number
PP	Protection Profile
PECS (PSCE)	Provider of Electronic Certification Services

R

LR (RL)	Legal Representative
RSA	Rivest Shamir Adelman

U

URL Uniform Resource Locator

1.6.2. Definitions

Note – The French word is between ().

A

Acceptor (Accepteur)

Any entity (physical person, legal person or computer application) accepting a certificate which is submitted to it and of which it must verify the authenticity and validity.

Certification Authority (Autorité de Certification)

Within a PECS, a Certification Authority is responsible, on behalf and under the responsibility of the PECS, of applying at least one certificate policy and is identified as such, as issuer ("issuer" field in the certificate), in the certificates issued under this certificate policy.

Root Certification Authority (Autorité de Certification Racine)

A CA which is a reference within a user community (including other CAs). It is an essential element of trust which may be granted to it in a given context.

B

Key pair (Bi-clé)

Pair composed of a private key (to be kept secret) and a corresponding public key, required for the implementation of a provision of cryptography based on asymmetric algorithms.

C

Certificate (Certificat)

Set of user's information, including the public key, made unforgeable by the encipherment, with the secret key of the CA that issued it, of a condensate calculated on all of this information. A certificate contains information such as:

- the identity of the holder of the certificate;
- the public key of the certificate holder;
- authorized use(s) of the key;
- the validity period of the certificate;
- the identity of the CA that issued it;
- signature of the CA that issued it.

A standard certificate format is defined in Recommendation X.509 v3.

Compliance monitoring (Contrôle de conformité)

Action which is a review as complete as possible to ensure the strict application of procedures and regulations within an organization.

D

Certification Practice Statement (CPS)

A CPS identifies the practices (organization, operational procedures, technical and human resources) that the AC applies through the provision of its electronic certification services to users, in order to meet the certificate policie(s) it has enacted.

DeltaCRL

Specific CRL containing only changes since the last publication of the complete CRL whose number is indicated.

Activation data (Données d'activation)

Private data associated with a holder to implement its private key.

E

Recording (Enregistrement)

Action by which an authority validates a certificate request, in conformity with a certification policy.

G

Generation of a certificate (Génération)

Action by which a CA integrates the elements of a certificate, controls and signs the certificate.

I

Public Key Infrastructure (Infrastructure de Gestion de Clés)

Set of components, functions and procedures dedicated to the management of cryptographic keys and certificates used within trusted services. A PKI may consist of a certification authority, certification operator, centralized and / or local registration authority operators, certification agents, an entity for archiving, an entity for publication, etc.

J

Logging (Journalisation)

Action to record in a file devoted to this purpose certain types of events from an application or operating system of a computer system. The resulting file facilitates tracking and accountability of operations.

P

Certificate Policy (Politique de Certification)

Set of rules, identified by a name (OID), defining the requirements that an AC states to comply with, in the development and delivery of its services and indicating the applicability of a certificate to a particular community and / or to a class of applications with common security requirements. A CP can also, if necessary, identify the requirements and obligations on other stakeholders, including holders and users of certificates.

Holder (Porteur)

Any entity (individual, corporation or applicative services) holding an electronic certificate generated by the PKI.

Provider of Electronic Certification Services (Prestataire de Services de Certification Electronique)

Any person or entity that is responsible for managing digital certificates throughout their life cycle, to holders and users of these certificates. A PECS can provide different types of certificates corresponding to different purposes and / or different security levels. A PECS has at least one CA but may have several, depending on its organization. The different CA of a PECS can be independent of each other and / or connected by hierarchical links or other (Roots CA / Sub CA). A PECS is identified in a certificate under its responsibility through its CA that issued this certificate and which is itself directly identified in the filed "issuer" of the certificate.

Publication of a certificate (Publication d'un certificat)

Action to register a certificate in a directory, available to users which may have to verify a signature or to encrypt information.

R

Certificate Renewal (Renouvellement de certificate)

Action performed at the request of a user or at the end of the period of validity of a certificate which is to generate a new certificate for a holder.

Revocation of certificate (Révocation d'un certificat)

Action requested by an authorized entity (CA, Certification Agent, certificate holder, etc.) and from which the result is the removal of the guarantee of the CA on a particular certificate before the end of its period of validity. This action may result from different types of events such as loss of the token, a key compromise, modification of information contained in the certificate, etc.

S

Publication Service (Service de publication)

The Publication Service makes available public key certificates issued by a CA, to all potential users of these certificates. It publishes a list of certificates recognized as valid and a certificate revocation list (CRL). This service can be rendered by a directory (for example of X.500 type), an information server (Web), a grant from hand to hand, a messaging application, etc.

U

End User (Utilisateur final)

Certificate holder or acceptor.

V

Certificate verification (Vérification de certificat)

The procedure for verifying a certificate consists of a set of operations to ensure that the information contained in the certificate has been validated by a trusted CA. The verification of a certificate includes the verification of its validity, its status (revoked or not), and the signature of the generating CA.

Signature verification

Verification of a signature is to decrypt the signature of a message, by implementing the public key of the purported signer. If the decrypt signature is just the same as the footprint calculated from the received message, then it is guaranteed that the message is intact and that it was signed by the holder of the private key corresponding to the public key used for verification.

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1. Repositories

For the provision of information to be published to the users (holders and acceptors), CSF implements in its PKI a publication service and a service on certificate status.

The publication service is supported by a web server, available at HTTP www.chambersign.fr.

The service on certificate status is based on generating CRL and their publication on the website.

The commitments of availability and business continuity of these services (web server and CRL issuer) are detailed in Chapter 4.9 below.

2.2. Publication of certification information

The following information is disseminated via the CSF website:

- these CP;
- the terms of use (ToU);
- formats of certificates and CRLs object of these CP;
- CRLs;
- CA certificates

2.3. Time or frequency of publication

Information related to the PKI (CP, ToU...) are published as soon as validated by the management of CSF.

The availability of systems publishing this information is provided during weekdays. System availability publishing CA certificates is provided 24h/24 and 7/7.

2.4. Access controls on repositories

The modification access to publishing systems (addition, deletion, modification of published information) is strictly limited to authorized internal function of the PKI, through a strong access control (authentication based on at least two factors).

3. IDENTIFICATION AND AUTHENTICATION

3.1. Naming

3.1.1. Types of names

The names used in certificates issued by CSF are as specified in X.500 and [RGS]. In each certificate, the "issuer" (issuing CA) and the "subject" (bearer) correspond to a Distinguished Name (DN).

The content of the DN is defined in the document describing the certificate profiles [INF.INF.05].

3.1.2. Need for names to be meaningful

The names used in the fields "issuer" and "subject" of a certificate holder are explicit in the field of certification of CSF (use of national identifiers structure SIREN / SIRET, use of names of carriers, ...).

3.1.3. Anonymity or pseudonymity of subscribers

As part of this certification policy, there is no anonymity, or pseudonyms.

3.1.4. Rules for interpreting various name forms

The meanings of the different fields of DN, both of the "issuer" as the "subject", are described in [INF.INF.05].

3.1.5. Uniqueness of names

Product in each certificate, the DN field of "issuer" (issuing CA) and the 'subject' field (AC or carrier) is unique in the field of certification of CSF (see [INF.INF.05]).

3.1.6. Recognition, authentication, and role of trademarks

There is no use in a certificate of brand name other than the name of the corresponding body, as noted on official documents subject to verification during registration procedures (Kbis, ...).

3.2. Initial identity validation

3.2.1. Method to prove possession of private key

Files application for a certificate containing the public key being certified, sealed with the corresponding private key.

3.2.2. Authentication of organization identity

Information regarding the structure on which the holder is attached are subject to verification upon registration (existence, validity, ...).

3.2.3. Authentication of individual identity

The identity of the holder is verified through the verification of official identity documents made during a face-to-face.

3.2.4. Non-verified subscriber information

All information concerning holders in these certificates are checked.

3.2.5. Validation of authority

This step is performed at the same time as the validation of the identity of the organism.

3.2.6. Criteria for interoperation

The decision of the PKI recognizes CSF and / or be recognized by another PKI is the responsibility of the Board of CSF, and will be materialized in a recognition agreement.

In this context, CSF will undertake, or will make a preliminary analysis to ensure that the PKI meets other requirements and a level of safety equivalent to that of the PKI CSF. This analysis will rely in particular on referrals / qualifications / Cluster Approval may be held by another PKI and on a comparative analysis of the relevant CP and operating procedures and safety regulations.

The limits of liability between the PKI will be specified in the recognition agreement.

3.3. Identification and authentication for re-key requests

The first renewal is done online if prior to the expiration date of the certificate to be renewed. The wearer valid online that information related to certificate renewal are always accurate. The next renewal is made after the initial registration process.

Renewal after revocation is made after the initial registration process.

3.4. Identification and authentication for revocation request

Any request for revocation is the subject of an applicant's authentication and verification of his authority to such a request.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1. Certificate Application

4.1.1. Who can submit a certificate application

Applications for licenses come either directly from the future wearer, or the legal representative of the entity concerned or an agent of certification of this entity.

4.1.2. Enrollment process and responsibilities

The establishment of a certificate request is the responsibility of the entity to which the future wearer.

4.2. Certificate application processing

The registration of the PKI verifies the origin, integrity and consistency of the request received (see section 3.2).

Then, if no problems are detected, it formats and sends the request to the generation of certificates.

4.3. Certificate issuance

4.3.1. CA actions during certificate issuance

Following validation of the application for a certificate by the recording function of the PKI, the process is to remit to the carrier the certified public key: key pair generation under the control and under the supervision of the carrier, in a support cryptographic (equipment or software) choose by the carrier (in condition to respect requirements defined at the §6.2 below), sends the public key to the function of generating certificates, download the generated certificate holder.

4.3.2. Notification to subscriber by the CA of issuance of certificate

The certificate is given to the bearer when customizing its support.

4.4. Certificate acceptance

4.4.1. Conduct constituting certificate acceptance

The certificate is subject to an explicit acceptance by the holder after the download.

4.4.2. Publication of the certificate by the CA

Certificates subject of these CP are not subject to publication by CSF.

4.4.3. Notification of certificate issuance by the CA to other entities

The different components of the PKI concerned are informed of the issuance of the certificate via the information system of the PKI.

4.5. Key pair and certificate usage

4.5.1. Subscriber private key and certificate usage

Using the private key and associated certificate is limited to conditions of use specified in these CP (see § 1.4) and in accordance with this use, as described in the certificate content (key attribute and/or use extended key usage, cf. [INF.INF.05]).

The use of the key pair and associated certificate are indicated in the certificate itself, via extensions concerning key uses.

The use of a private key is only allowed during the period of validity of the certificate and associate you accept the terms of use by the wearer.

4.5.2. Relying party public key and certificate usage

Using the certificate and the public key is limited to conditions of use specified in these CP (see § 1.4) and the intended use specified in the certificate (attribute key usage and extended key usage, see [INF.INF.05]).

The acceptor is bound to verify the validity and compliance of its use.

Responsibility of CSF can not be committed for use does not meet conditions of use.

4.6. Certificate renewal

Recertification without renewal of the corresponding key pair is impossible. A renewal application is therefore accompanied necessarily generating a new key pair (see section 4.7 below). This chapter is not applicable.

4.7. Certificate re-key

4.7.1. Circumstance for certificate re-key

The main cause for issuing a new certificate and key pair corresponding to the arrival date of expiry of the certificate. The duration of validity of CSF is 3 years. The key pairs must be renewed periodically because to minimize the risk of cryptographic attack.

Renewals may also be made in advance, following an event or incident reported by the carrier, the most frequent being the loss, theft or malfunctioning of the cryptographic support.

Modification of the information contained in the certificate also entails issuing a new certificate (with renewal of the key pair).

Issuing a new certificate is performed identically to the process of initial issuance. Only the registration phase may differ for a renewal (see section 3.3).

4.7.2. Who may request certification of a new public key

See sections 4.1 to 4.4.

4.7.3. Processing certificate re-keying requests

See sections 4.1 to 4.4.

4.7.4. Notification of new certificate issuance to subscriber

See sections 4.1 to 4.4.

4.7.5. Conduct constituting acceptance of a re-keyed certificate

See sections 4.1 to 4.4.

4.7.6. Publication of the re-keyed certificate by the CA

See sections 4.1 to 4.4.

4.7.7. Notification of certificate issuance by the CA to other entities

See sections 4.1 to 4.4.

4.8. Certificate modification

The amendment of a certificate shall result in the renewal of the certificate and corresponding key pair: cf. Chapter 4.7. A modification is prohibited without renewal.

4.9. Certificate revocation and suspension

There is no possible suspension of certificate. Only the final revocation of certificates can be achieved.

4.9.1. Circumstances for revocation

The following circumstances may cause the revocation of a certificate subject of these CP:

- the private key of the carrier is lost, stolen, inoperable (malfunction of the substrate), compromised or suspected compromise (option of the holder itself);
- information or attributes contained in the certificate holder are no longer valid or more consistent with the intended use of the certificate, this before the normal expiration of the certificate;
- it was shown that the carrier has not complied with the applicable terms of use of the certificate;
- the CA certificate is revoked (which will revoke certificates signed by the corresponding private key);
- the holder no longer meets the professional requirements (cessation of activity, death).

The revocation proceedings are never published.

4.9.2. Who can request revocation

Entities that can request the revocation of a certificate subject of these are:

- Holder on whose behalf the certificate was issued;
- the entity to which the wearer;
- CSF.

4.9.3. Procedure for revocation request

The request validation includes checking the origin of the application and applicability of the cause invoked. After this validation, service management revocations formats and forwards the request to state service charge certificates to add the serial number of certificates to be revoked in the next CRL to generate and publish.

4.9.4. Revocation request grace period

The revocation request must be made from knowledge of the corresponding event.

4.9.5. Time within which CA must process the revocation request

Revocation requests are processed within 72 hours (maximum time) of receipt of the request, during working hours, excluding dismissals resulting from change requests data from the carrier.

The management function is available 24 hours revocations on 24, 7 days on 7. The maximum duration of downtime per interruption (outage or maintenance) of the management function of revocations is 2h (working days). The maximum total duration of downtime per month of the management function is revocation of 16h (working days).

4.9.6. Revocation checking requirement for relying parties

Acceptors certificates must verify non-revocation of licenses on which they will base their confidence. This verification is done by consulting CRLs available through the website of CSF.

4.9.7. CRL issuance frequency (if applicable)

The state service certificates publishes an update of CRL at least every three days. Each CRL contains the date and time looking for CRL issuance next. For safety, the LCR have a duration of 96 hours.

4.9.8. Maximum latency for CRLs (if applicable)

The maximum period of a CRL publication after its generation is 30 minutes.

4.9.9. On-line revocation/status checking availability

A system for online verification (OCSP) isn't implemented.

4.9.10. On-line revocation checking requirements

See section 4.9.6.

4.9.11. Other forms of revocation advertisements available

N / A (only the mechanism of CRL is used).

4.9.12. Special requirements re key compromise

There are no special measures concerning the private keys of the holders, other than revocation of certificates.

4.9.13. Circumstances for suspension

Certificates can be removed only for good. It is not envisaged possibility of temporary revocation (suspension).

4.9.14. Who can request suspension

N/A.

4.9.15. Procedure for suspension request

N/A.

4.9.16. Limits on suspension period

N/A.

4.10. Certificate status services

4.10.1. Operational characteristics

CRLs are made available freely and for free via the web site of CSF. Similarly, the OCSP service is freely accessible and free.

4.10.2. Service availability

The service is available 24 hours / 7 days and 24/7 via the website CSF.

The maximum duration of downtime per interruption (outage or maintenance) of the function information certificate status is 4 hours (working days).

The maximum total duration of downtime per month depending on the information on the status of certificates is 32 hours (working days).

4.10.3. Optional features

N/A.

4.11. End of subscription

At the expiration of the subscription of the holders (including completion of the activity justifying the award of a certificate), the certificate is revoked.

4.12. Key escrow and recovery

N / A (private key object of these CP are not subject to any receivership).

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

5.1. Physical controls

CSF implements physical security measures, within the various components of the PKI, necessary to ensure the safe operation of its services according to commitments made in this document, particularly in terms of availability (physical access control, support services (power, cooling, ...), protection against water damage, protection against fire and protection of media).

5.2. Procedural controls

Within each component of the PKI, functional roles of trust are identified and formally assigned, observing strict rules of separation of powers.

Any allocation of roles and associated rights is subject to prior verification of the identity and permissions.

For conducting operations, the involvement of several persons may be required.

5.3. Personnel controls

All personnel, internal and external CSF, have to work within the PKI components are subject to obligations of qualifications, skills, training and retraining and clearances based on their roles.

The honesty of such personnel shall be tested according to what is permitted by law.

5.4. Audit logging procedures

The various events related to the operation of the PKI are subject to a log of events recorded manually or automatically. The resulting files, paper or electronic form, provides for traceability and accountability of operations.

These event logs are dated, protected and are the subject of an archive. They are regularly monitored to assess potential vulnerabilities imposed on the PKI.

5.5. Records archival

Provisions for archiving, paper and electronic, are taken to ensure the sustainability of newspapers made by the various components of the PKI and other data (registration dossier, CP, DCP, certificates and CRLs issued , ...).

The retention periods are specified in the archive [POL.COM.11], [POL.COM.12] and [POL.COM.13].

5.6. Key changeover

The CA can not generate a certificate, the end date is later than the expiration date of the corresponding certificate of the CA. Why the period of validity of the CA certificate is greater than that of the certificates it signs.

5.7. Compromise and disaster recovery

Each entity operating a component of TGI implements procedures and means of reporting and incident handling, particularly through awareness and training of its staff and through the analysis of individual logs events, including in the event of major incidents (private key compromise, weakness of the algorithms, ...). These procedures and means must be chosen to minimize damage from security incidents and malfunctions.

Each component of the PKI has a business continuity plan to meet the availability requirements of the various functions of the PKI from the commitments of CSF in these CP particularly with regard to functions related to the publication and certificate revocation.

The different components of the PKI have the necessary means to ensure the continuity of their business in compliance with the commitments of these CP.

5.8. CA or RA termination

One or more components of the PKI, or all of the PKI, may have to retire or transfer to another entity for various reasons.

CSF will implement the measures required to achieve at least the continuity of archiving information and continuity of revocation services.

CSF has made arrangements to cover the costs for meeting these minimum requirements in case CSF would be bankrupt or for other reasons is unable to cover these costs by itself, this, as much as possible, depending on constraints of the legislation applicable in bankruptcy.

To the extent that the proposed changes may affect the commitments vis-à-vis holders or users of certificates, the CSF will advise as soon as necessary and, at least, under the period of one month. Similarly, CSF inform the public authorities concerned.

6. TECHNICAL SECURITY CONTROLS

6.1. Key pair generation and installation

The key pairs are generated carriers in the cryptographic media (material or software) under the control and the supervision of the holders thereof. To certify the public keys are transmitted to the PKI protected so as to guarantee the origin and to ensure its integrity.

The root certificate of the PKI be downloaded from the website ChamberSign.

The user can check the fingerprint of the root certificate on the secure site <https://www.keymanagement.chambersign.fr> CSF or contact by phone.

6.2. Private Key Protection and Cryptographic Module Engineering Controls

Each carrier could freely choose his cryptographic media. This media must however comply with requirements of [RGS] for the level * (cf. Requirements for authentication and signature device). The carrier makes a contractual commitment with CSF for this compliance.

Private keys carriers are not subject to any receivership and no backup from CSF.

Media containing cryptographic keys private carriers must assure the authentication or signature function for the legitimate carrier only and protect the private key against all use by outsider (cf. Requirements of [RGS] for the cryptographic media).

6.3. Other aspects of key pair management

Public keys are archived carriers as part of the archiving of certificates.

The key pairs and certificates of carriers have a lifespan of three years.

6.4. Activation data

The CP doesn't state no requirement, the key pair being implemented by the certificate carriers themselves and under their entire responsibility.

6.5. Computer security controls

Within the various components of the PKI, the security measures relating to computer systems meet the security objectives that result from risk analysis conducted in each component.

6.6. Life cycle technical controls

Implementing a system to implement the components of the PKI is documented. System components of the PKI and any changes and upgrades are documented and controlled.

The security objectives are defined in the phases of specification and design. Systems and products used are reliable and are protected against modification.

6.7. Network security controls

The interconnection to public networks is protected by security gateways configured to accept only the protocols necessary for the operation of the component within the PKI. The components of the local area network (routers, for example) are kept in a physically secure environment and that the configurations are periodically audited to verify compliance with the requirements specified by CSF.

6.8. Time-stamping

The dating of events in the PKI uses the system time of the PKI by providing clock synchronization systems TGI them, at least to the nearest minute, and from a reliable source of time UTC, at least to the nearest second. For transactions made offline (eg administration of a CA Root), the synchronization accuracy relative to UTC time is not required. The system may order the events with sufficient accuracy.

7. CERTIFICATE, CRL, AND OCSP PROFILES

The profiles of certificates, CRLs are defined in [INF.INF.05].

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

This chapter deals only with audits and evaluation of CSF responsibility to ensure the proper functioning of the PKI and does not address qualification audits governed by legal regulations.

8.1. Frequency or circumstances of assessment

Before the first use of a component of the PKI or following any significant change in a component, CSF performs a check of this component. CSF also conducts regular compliance monitoring of its entire PKI, at least once three years.

8.2. Identity/qualifications of assessor

The control component is assigned to a team of CSF competent auditors in security and information systems in the field of activity of the controlled component.

8.3. Assessor's relationship to assessed entity

The audit team may not belong to the entity operating the controlled component of the PKI, whatever that component, and is duly authorized to perform the checks required.

8.4. Topics covered by assessment

Compliance checks involve a component of the PKI (spot checks) or the whole architecture of the PKI (periodic checks) and are designed to verify compliance with the commitments and practices defined in these CP and in responds that the CPD as well as elements thereunder (operational procedures, resources used, etc..).

8.5. Actions taken as a result of deficiency

Following a compliance check, the audit team travels to CSF of the following notice: "success", "failure", "TBC". CSF takes, and caught, the necessary measures according to the conclusions of the examination.

8.6. Communication of results

The results of compliance audits are made available to the qualification body in charge of the qualification of CSF.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1. Fees

9.1.1. Certificate issuance or renewal fees

See [POL.COM.11], [POL.COM.12] and [POL.COM.13] and the pricing policy of CSF.

9.1.2. Certificate access fees

N/A.

9.1.3. Revocation or status information access fees

Access to status information of certificates is free.

9.1.4. Fees for other services

See [POL.COM.11], [POL.COM.12] and [POL.COM.13] and the pricing policy of CSF.

9.1.5. Refund policy

N/A.

9.2. Financial responsibility

9.2.1. Insurance coverage

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.2.2. Other assets

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.2.3. Insurance or warranty coverage for end-entities

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.3. Confidentiality of business information

9.3.1. Scope of confidential information

The following information is considered confidential and is subject to adequate protection procedures:

- the non-public of the CPD of KT,
- the CA's private key, components and certificate holders,
- activation data associated with the CA private keys and holders,
- all the secrets of the PKI,
- event logs of the components of the PKI,
- the registration records of carriers,
- the causes of revocation, unless explicitly granted the wearer.

9.3.2. Information not within the scope of confidential information

N/A.

9.3.3. Responsibility to protect confidential information

Confidential information is not accessible (eg, private keys carriers that are decrypted form only within the cryptographic card holders) or are accessible only to people justifying the need to know and properly authorized (eg, parts of "secrets PKI").

9.4. Privacy of personal information

9.4.1. Privacy plan

The personal information are explicitly identified and procedures are subject to adequate protection, in compliance with applicable legal and regulatory requirements.
See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.4.2. Information treated as private

All registration data carriers are considered personal.

9.4.3. Information not deemed private

N/A.

9.4.4. Responsibility to protect private information

See laws and regulations. On French territory, including statements see processing of personal data are doing with the CNIL.

9.4.5. Notice and consent to use private information

Accordance with national laws and regulations, particularly on French territory, the personal information submitted by carriers in CSF are disclosed or transferred to third parties except in the following cases: prior consent of the holder, court order or other legal authority.

9.4.6. Disclosure pursuant to judicial or administrative process

See laws and regulations.

9.4.7. Other information disclosure circumstances

N/A.

9.5. Intellectual property rights

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.6. Representations and warranties

9.6.1. CA representations and warranties

Under these CP, and the area they cover (see sections 1.3 and 1.4 above), CSF ensures compliance with the commitments described in this document and in [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.6.2. RA representations and warranties

See section 9.6.1.

9.6.3. Subscriber representations and warranties

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.6.4. Relying party representations and warranties

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.6.5. Representations and warranties of other participants

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.7. Disclaimers of warranties

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.8. Limitations of liability

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.9. Indemnities

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.10. Term and termination

9.10.1. Term

Each of these CP applies until the end of life of the last certificate issued under the considered CP.

9.10.2. Termination

Cessation of activity of the PKI, scheduled or following a disaster, the end result of validity of these CP.

9.10.3. Effect of termination and survival

The expiry of these CP cancels the commitments of CSF that are worn, with the exception of clauses dealing with end of life of the PKI, archiving and transfer activity.

9.11. Individual notices and communications with participants

In case of change of any kind in the composition of the PKI, CSF will:

- later than one month before the start of the operation, to validate this change through technical expertise to assess the impacts on the quality and safety functions of the PKI and its various components.
- later than one month after the end of the operation, inform, where appropriate, the qualification body.

9.12. Amendments

9.12.1. Procedure for amendment

The CP are regularly reviewed to ensure compliance with changes in both technical (standards, reference, ...) and legal (laws, regulations, ...).

9.12.2. Notification mechanism and period

Any new version is available in electronic format on the website of CSF upon approval by the Directorate of CSF.

It shall take effect upon its publication.

9.12.3. Circumstances under which OID must be changed

The OID of each of these CP contain the major version number. Any significant change in the CP, in particular changes affecting existing certificates involves changing the major version number and therefore, an evolution of the OID.

9.13. Dispute resolution provisions

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.14. Governing law

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.15. Compliance with applicable law

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.16. Miscellaneous provisions

9.16.1. Entire agreement

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.16.2. Assignment

See section 5.8 above.

9.16.3. Severability

Should any provision of these CPs would prove to be invalid under applicable law, this does not challenge the validity and enforceability of any remaining provisions.

9.16.4. Enforcement (attorneys' fees and waiver of rights)

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

9.16.5. Force Majeure

Are considered acts of God all those usually used by the French courts and any other agreements that could bind the parties.

9.17. Other provisions

See [POL.COM.11], [POL.COM.12] and [POL.COM.13].

APPENDIX 1 - REFERENCES

10. External legal documents

- [CNIL] Law No. 78-17 of 6 January 1978 relating to computers, files and liberties, as amended by Act No. 2004-801 of 6 August 2004.
- [DIRSIG] Directive 1999/93/EC of the European Parliament and Council of 13 December 1999 on a Community framework for electronic signatures.
- [LCEN] Act No. 2004-575 of 21 June 2004 on confidence in the digital economy, in particular Article 31 concerning the declaration of provision of cryptology and Article 33 specifies that the liability of providers of certification services issuing qualified electronic certificates.
- [ORDONNANCE] Order No. 2005-1516 of 8 December 2005 on electronic exchanges between users and administrative authorities and between authorities.
- [DécretRGS] Decree No. 2010-112 of 02/02/2010 taken for the purposes of sections 9, 10 and 12 of Ordinance No. 2005-1516 of December 8, 2005.
- [ArrêtéRGS] Order of May 6, 2010 approving the general security, specifying the modalities of implementation of the validation procedure of electronic certificates.
- [SIG] Decree No. 2001-272 of 30 March 2001 made pursuant to Article 1316-4 of the Civil Code and on the electronic signature.

11. External technical documents

- [RGS] Repository General Security -Version 1.0
- [RFC3647] IETF -Internet X.509 Public Key Infrastructure -Certificate Policy and Certification Practice Framework -November 2003

12. Internal documents ChamberSign France

- [INF.INF.05] ChamberSign France - Profiles of Certificates and CRLs
- [POL.COM.11] ChamberSign France - Terms & Conditions of use Signature
- [POL.COM.12] ChamberSign France - Terms & Conditions of use Authentication
- [POL.COM.13] ChamberSign France - Terms & Conditions of use Signature and Authentication